



Intense Carpet

0261520 13' 7"

0261521 15' 4"

- 5th-generation polypropylene
- Exclusive softening process to enhance wear and feel
- High resistance to staining
- Can be cleaned with harsh cleaners
- Low maintenance

Padding Quality padding for all your carpeting needs.

6 Lb. Rebond

- 1/2" rebond, 6 lb. density
- 30 sq. yards/roll
- 6' x 45' rolls

0261510

4 Lb. Rebond

- 3/8" rebond, 4 lb. density
- 40 sq. yards/roll
- 6' x 60' roll

0261511

Spot Remover & Carpet Cleaner

GTO is formulated to remove tough stains from carpeting, rugs & upholstery. Reaches deep into the stained area to dissolve grease, oil and many other stubborn stains. GTO is formulated not to set in stains. Removes grease, tar and oily soil.

0181350 20 fl oz. spray: 12/Ctn.



Vinyl Floor Covering

We now offer vinyl floor covering direct from the manufacturer by special order.



- ▲ Speedy shipping direct from Dalton, GA
- ▲ First-quality, no wax, satin-gloss standard Wearlayer
- ▲ Standard limited warranty
- ▲ 14-foot width for virtually seamless installations
- ▲ Easy to install and maintain

Style Choices

- Plank
- Gray Diamond
- Medallion Marble
- Taupe Ceramic
- Beige Ceramic

0261515 14' Wide

Important:

All design illustrations are reproduced as faithfully as fine color printing inks will permit. Due to the difference between printing inks and the pigments used in the manufacture of these floor coverings, we cannot guarantee exact color reproduction. Ask your salesman to show you actual sample boards.



Plank
PJ014



Gray Stone
PJ112



Gray Slate
PJ180



Beige
PJ285

- ▲ Speedy shipping direct from Dalton, GA
- ▲ First-quality, no wax, satin-gloss standard Wearlayer
- ▲ Standard limited warranty
- ▲ 14-foot width for virtually seamless installations
- ▲ Easy to install and maintain

Style Choices

- Plank
- Gray Stone
- Gray Slate
- Beige

Same as above, but in 15' 6" width for even wider installations.

0261514 15' 6" Wide

Laminate Floor Covering 6mm

HDF Floating Laminate



0261528 Floating Laminate, 6mm

- 0261529** T-Molding (7'10" long)
- 0261530** End Cap (7'10" long)
- 0261531** Reducer (7'10" long)
- 0261512** Underlayment (7'10" long)

Style Choices

- Red Oak
- Gunstock
- Light Oak



Durable 3 mil, non-skid polyethylene film prevents damage during high traffic display periods, bad weather or while repairs are being made. Pressure-sensitive adhesive on one side, reverse rolled for easy application. Roll it across the floor, or use the handy Excaliber applicator for fast, wrinkle-free application. To remove, simply peel off and discard. Non-transferable adhesive will not harm carpets.

- 0265010** 23.5" x 1000' Roll
- 0265011** 23.5" x 200' Roll
- 0265015** Excaliber Applicator

NOTE:

Should not be left in place for more than 45 days. It should be removed or replaced sooner if subjected to heavy foot traffic, high humidity, high temperatures or direct sunlight. Not recommended for natural fiber (wool) carpets. Do not use on marble, tile, vinyl, counter tops, etc. where it is difficult to remove. Temperatures greater than 100° F may prevent Carpet Armour from releasing properly.